

PRINTER RUSH
(PTO ASSISTANCE)

Plant
S.F

Application : <u>10/675,222</u>	Examiner : <u>Bell K</u>	GAU : <u>1661</u>
From : <u>CCP</u>	Location : IDC <u>FMF</u> EDC	Date : <u>12/15/04</u>
Tracking # : <u> </u>		Week Date : <u> </u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input checked="" type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input checked="" type="checkbox"/> 312	<u>9/20/4</u>	
<input type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: ① DPTX-856 - incorrect fee code
(this is a Plant - needs 2503, code used
is 2501 (utility))

② 3/2 Amendment - 9/20/4 - should the
amendment be entered??

Thank you CCP

[XRUSH] RESPONSE: ① Send to Docket Clerk to have this fixed.

② Yes should be entered, wouldn't have
allowed it otherwise.

No EXAMINER ERROR!!

INITIALS: K 3/36

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
REV 10/04